



CRANE END STOP  
SUPPLIED BY CUSTOMER

**TECHNICAL DATA**

LOAD.....	50t
SPAN.....	25m
LIFTING HEIGHT.....	12m
HOISTING SPEED.....	2.5/0.4 m/min 2-SPEED
TRAVERSING SPEED.....	0-20 m/min STEPLESS
TRAVELLING SPEED.....	0-32 m/min STEPLESS
WEIGHT OF TROLLEY.....	3.16t
WEIGHT OF CRANE.....	27.4t
POWER SUPPLY.....	380V/48V/50Hz
CRANE GROUP.....	FEM A5
HOIST GROUP.....	MS(FEM 2m)
BRIDGE TRAVEL GROUP.....	MS(FEM 2m)
SUPPLY POWER.....	43.2kW
TOLERANCES ACC. TO ISO/FEM STANDARD	
BRIDGE PAINT: E120/RAL1028	
DRAWING NOT IN SCALE	



PRELIMINARY DRAWING/OFFER ONLY.

Name						RU02		
Material code						Part Name		
Rev.	Pts.	Area	Mod. Index	Modified	Date	Stage	Weight (Kg)	Issue
Designed	RU02	2024/02/15	Standardized		2024/02/15		27400	A0
Checked			Approved		2024/02/15			
Verified		2024/02/15			Size			
Processed			Scale	1:35	A2	Total	Page	DWG No.

**HOIST**  
K050T x 25m x 12m - A5