

CRANE DATA

1 General

Crane load (SWL)	6 300 kg	
Span	15 m	
Hoisting height	12 m (Max12 m)	
Crane group	FEM A5	
Hoist group	FEM M6 (3m)	
Bridge traversing group	FEM M5 (2m)	
Trolley traversing group	FEM M5 (2m)	
Hoisting speed	4/0.7 m/min	2-speed
Trolley traversing speed	0-20 m/min	Stepless
Bridge traveling speed	0-20 m/min	Stepless
Weight of crane (with hoists)	4380 kg	
Weight of one hoist and trolley	750 kg	
Weight of one main girder	2720 kg	
Weight of Service platform	N/A	
Main girder type (Box)	410/610/6/25/6/8-Q235	
Surface preparation type	Shot Blasting Sa2.5	
Painting type/depth	E/120 µm	
Runway rail type		
Max./Min. static wheel load	49.81/7.11 kN	
Buffer diameter/center Height	63 mm/119 mm	

2 Crane control

Control method.....Pendant

3 Electrical

Main/Control voltage380 V/50 Hz/48 AC V
 Nominal power of crane9.9 kW
 Max./Nominal current of crane*).....101.2 A/23.2 A

4 Hoisting motor

Motor type/code/NumberSD05/AD195X222N/1set
 Duty groupFEM M6 (3m)
 Nominal power.....7.5/1.2 kW
 Duty factor**60 % ED**

5 Trolley traversing motor

Motor type/Number.....AF115X411N/1set
 Duty groupFEM M5 (2m)
 Nominal power.....1.1 kW
 Duty factor**40 % ED**

6 Bridge traveling motor

Motor type/Number.....AF115L411N/2set
 Duty groupFEM M5 (2m)
 Nominal power.....0.65 kW
 Duty factor**40 % ED**